

The drawing consists of two main parts: a perspective view at the top and a cross-sectional view below it.

Perspective View (Top):

- Part 1:** A central cylindrical component with a flange on the right side.
- Part 2:** A large, circular, flange-like component with a central hole, labeled with a dashed crosshair.
- Part 3:** A vertical rectangular component with a flange at the top.
- Part 4:** A horizontal rectangular component with a flange at the right end.
- Part 5:** A vertical rectangular component with a flange at the bottom.
- Part 6:** A horizontal rectangular component with a flange at the left end.
- Part 7:** A vertical rectangular component with a flange at the top.
- Part 8:** A horizontal rectangular component with a flange at the right end.
- Part 9:** A vertical rectangular component with a flange at the bottom.
- Part 10:** A horizontal rectangular component with a flange at the left end.
- Part 11:** A vertical rectangular component with a flange at the top.
- Part 12:** A horizontal rectangular component with a flange at the right end.
- Part 13:** A vertical rectangular component with a flange at the bottom.
- Part 14:** A horizontal rectangular component with a flange at the left end.
- Part 15:** A vertical rectangular component with a flange at the top.
- Part 16:** A horizontal rectangular component with a flange at the right end.
- Part 17:** A vertical rectangular component with a flange at the bottom.

Cross-sectional View (Bottom):

- Part 1:** A vertical rectangular component with a flange at the top.
- Part 2:** A horizontal rectangular component with a flange at the right end.
- Part 3:** A vertical rectangular component with a flange at the bottom.
- Part 4:** A horizontal rectangular component with a flange at the left end.
- Part 5:** A vertical rectangular component with a flange at the top.
- Part 6:** A horizontal rectangular component with a flange at the right end.
- Part 7:** A vertical rectangular component with a flange at the bottom.
- Part 8:** A horizontal rectangular component with a flange at the left end.
- Part 9:** A vertical rectangular component with a flange at the top.
- Part 10:** A horizontal rectangular component with a flange at the right end.
- Part 11:** A vertical rectangular component with a flange at the bottom.
- Part 12:** A horizontal rectangular component with a flange at the left end.
- Part 13:** A vertical rectangular component with a flange at the top.
- Part 14:** A horizontal rectangular component with a flange at the right end.
- Part 15:** A vertical rectangular component with a flange at the bottom.
- Part 16:** A horizontal rectangular component with a flange at the left end.
- Part 17:** A vertical rectangular component with a flange at the top.

The drawing includes various dimension lines and arrows indicating the orientation and assembly of the components. A dashed line is used to indicate a hidden part of the assembly.

fig. 1.





fig. 2




fig. 3